



## Slim Shower Grate - Tile Insert - 45mm - Custom Length and Outlet

**Brand:** DrainTEK

**Product SKU:** CSG-IND-TI-045-1518

**RRP:** \$29.95 + \$0.19 per mm


**Type:** Custom Made to Order, V Channel, Tray and Insert

**Material:** 316 Stainless Steel

**Style:** Tile Insert

**Tray Width:** 45mm

*Please note that the information and prices provided in this document are subject to change without prior notice. For the most accurate and up-to-date information about this product, we recommend visiting our official website.*



## ABOUT THE PRODUCT

These custom made tile insert shower grates are manufactured to order at any length. Insert your floor tiles into the removable tray to achieve an almost invisible drain! Prescribe the position of the outlet, making it the versatile choice for any new build or renovation. The quality is superior to most shower grate products on the market and you will not find a better-priced custom made shower drain at this quality level.

The quoted price is made up of:

- The base manufacturing charge of **\$29.95**
- A charge of **\$0.19** for each mm of length (Select the width and then enter the length where prompted below)

## FEATURES

- **MINIMALIST** - Tile tray allows tiles to be inserted providing an almost invisible linear drain
- **HIGHLY DURABLE** - Made from full 316L low carbon marine-grade stainless steel
- **CUSTOM MADE** - Select the length, width, outlet size and outlet position based on your demands
- **SMART DRAIN SYSTEM** - 20mm deep V profile drain tray for efficient water drainage
- **SATISFACTION GUARANTEED** - Comes with a manufacturer's lifetime warranty



Easy 30 Day Returns\*



Enjoy Free Freight Protection



Stock in Australia

## ADDITIONAL INFORMATION

### Highest Specifications

#### Tray

- Full 316L (low carbon) stainless steel tray and outlet (1.2mm thick) in any length
- V profile with 25mm depth for efficient drainage
- DN40mm outlet at any position
- Watermark licensed under WMTS-040 - Certificate 23396
- Note: Tray lengths greater than 3,000mm will be supplied in multiple pieces with joiner plates. Simply affix the tray lengths together using the joiner plate with a quality waterproof adhesive sealant (eg. Sikaflex)
- Manufactured in Australia


#### • Tile Insert Tray

- Full 316L (low carbon) marine grade stainless steel 1.2mm thick
- Support feet along entire length for heavy-duty load support
- 28mm wide (internal), perfect for 25mm wide tiles and mosaics
- No plastic components
- Note: Insert lengths greater than 1,500mm will be supplied in multiple equal pieces unless you advise us otherwise. Longer inserts can be heavy and difficult to remove and handle safely.
- Manufactured in Australia

### Lifetime Warranty

- Lifetime guarantee against manufacturing defects

### Dimensions



Easy 30 Day Returns\*



Enjoy Free Freight Protection



Stock in Australia

## INSTALLATION

---

Click on the icon below to download the PDF manual for this product



### Typical Installation Steps

1. Construct shower surround in accordance with structural requirements leaving a penetration for drainage.
2. Add a suitable drainage flange and fasten/bond in place and cap during the building phase. DrainTEK recommends using a suitable puddle flange with an internal diameter large enough for the shower grate outlet to fit loosely within.
3. Complete water-proofing in accordance with AS3740 with waterproofing turned down into the plumbed drain.  
**Note:** Do not integrate tray with the water-proofing as steel expands/contracts differently to other materials.
4. Adjust the height of adjustable puddle flange (if installed) to suit desired shower grate height. If your tray outlet is not attached, then adhere with a waterproof adhesive sealant prior to installation and ensure it is secure.
5. Set tray at required height in mortar so the finished tiles will be just above the top edge of the grate tray.



Easy 30 Day Returns\*



Enjoy Free Freight Protection



Stock in Australia